





150
kg
max


**aluminium
stepladder**

Profile:
aluminium

- CZ  Schůdky hliníkové jednostranné
- SK  Schodíky hliníkové jednostranné
- EN  Aluminium stepladders



Code:







Code	Steps	Step width	Side rail height	Height to top step	Top step height	Weight
AM 703	3	0,60	1,31	2,70	0,42	3,1
AM 704	4	0,81	1,54	2,91	0,44	3,7
AM 705	5	1,02	1,77	3,12	0,46	4,2
AM 706 ~	6	1,23	2,00	3,33	0,49	5,0
AM 707	7	1,45	2,23	3,55	0,51	5,8
AM 708	8	1,66	2,46	3,76	0,54	6,4

150
kg
max


**aluminum
single ladder**






Profile:
aluminium

CZ  Žebřík jednodílný hliníkový
SK  Rebrík jednodílný hliníkový
EN  Ladder piece




Code:



					
H1 5106	6	1,69	2,59	0,33	2,6
H1 5107	7	1,97	2,87	0,33	3,0
H1 5108	8	2,25	3,15	0,33	3,4
H1 5109	9	2,53	3,43	0,33	3,8
H1 5110	10	2,81	3,71	0,33	4,3
H1 5111	11	3,09	3,99	0,33	5,3
H1 5112	12	3,37	4,27	0,39	6,0
H1 5113	13	3,65	4,55	0,39	6,4
H1 5114	14	3,93	4,83	0,39	6,9
H1 5115	15	4,22	5,12	0,39	7,4
H1 5116	16	4,50	5,40	0,39	7,8
H1 5117	17	4,78	5,68	0,39	8,3
H1 5118	18	5,06	5,96	0,39	8,7


150
kg
max



**aluminum alloy
3 section
combination ladder**

Profile:
aluminium

- CZ Žebřík trojdílný hliníkový
- SK Rebrík trojdílný hliníkový
- EN Universal three-part ladder



Code:



H3 5306	3x6	1,69	2,54	3,38	2,59	3,44	4,28	0,33/0,39/0,44	0,7	9,1
H3 5307	3x7	1,97	2,82	3,94	2,87	3,72	4,84	0,33/0,39/0,44	0,7	10,5
H3 5308	3x8	2,25	3,10	5,01	3,15	4,0	5,91	0,33/0,39/0,44	0,8	12,2
H3 5309	3x9	2,53	4,22	5,90	3,43	5,12	6,80	0,33/0,39/0,44	0,8	13,2
H3 5310	3x10	2,81	4,30	6,46	3,71	5,70	7,36	0,33/0,39/0,44	0,9	15,3
H3 5311	3x11	3,10	5,06	7,02	3,99	5,91	7,92	0,33/0,39/0,44	0,9	16,6
H3 5312	3x12	3,38	5,62	7,89	4,27	6,52	8,79	0,33/0,39/0,44	1,0	17,9
H3 5313	3x13	3,66	6,18	8,70	4,58	7,08	9,60	0,33/0,39/0,44	1,0	19,3
intensified –										
HS3 6312	3x12	3,39	5,89	8,43	4,20	6,79	9,33	0,33/0,39/0,44	1,0	22,1
HS3 6313	3x13	3,67	6,45	9,27	4,57	7,35	10,17	0,33/0,39/0,44	1,0	23,7